


Product Data Sheet Item No. 6325-100

Cargo Net with Eyelets by the m² (Custom-Made)

Schutznetze24 GmbH
Weyerberg 5, DE-35614 Aßlar-Berghausen
Phone: +49 (0) 6443 - 436 96 40
Mail: office@safetynet365.com
Web: www.safetynet365.com



TECHNICAL DATA

| | |
|--|--|
| Available Colors | orange, blue, black |
| Material | polyester |
| Strap Width | 1.00" |
| Mesh Size | 4.0" x 4.0" |
| Pose of Meshes | quadratic (square) |
| Mesh Connection | seamed |
| Production Tolerance | external dimensions: ± 2" |
| Edge Design | with edged polyester tape (approx. 1.5" wide), with eyelets |
| Eyelets | stainless steel eyelets (inside diameter Ø 38"), approx. every 15" |
| Permissible Tensile Force | 2,200 lbf (net total), 2,700 lbf (single strap) |
| Linear Density | 300.000 dtex |
| Extensibility | < 7% |
| Breaking Elongation of Filament | 10% |
| Standards and Rules | VDI standard 2700 |
| Continuous Operating Temperature | -40 to +212 °F |
| Melting Point | 500 °F |
| Washing Temperature (max.) | 190 °F |
| Yarn Moisture Regain | 0.5 to 2.0% |
| Tensile Strength Reduction Because Of Moisture | 0% |
| Resistance to Weak/Strong Acids | good/not good |
| Resistance to Weak/Strong Alkalis | good/good |
| Resistance to Organic Solvents | good |
| Resistance to Benzine and Greases | good |
| Bending Strength & Abrasion Resistance | good |

| | |
|--|---|
| Tensile Strength After Two Years of Climatic Influences | 90% |
| Elasticity After Years of Climatic Influences | good long-term flexibility, little elongation |
| Flexibility When Used in Water | stays flexible |
| Contraction When Used in Water | low contraction |
| Contraction When Used Outside | no contraction |
| Behavior in High Heat / Fire | melting |
| Electrical Characteristics | isolating, no electrical conductivity |
| Customs Tariff No. | 63079010 |
| Area Density | 19.15 oz/yd ² |